



CERTIFICATE OF ANALYSIS




Product Details

Product name:	Anti-BTN3A1 Reference Antibody (CTX-2026)	Lot.No.:	P36242
Target:	BTN3A1 / BTF5 / CD277	Catalog:	CHA388
Target Accession:	O00481	Concentration :	1 mg/mL
Clonality:	Monoclonal	Isotype:	IgG1
Reactivity:	Human	Molecular Weight (kDa) :	145.54 kDa
Application:	Kinetics (SPR), ELISA, Bioactivity: FACS, Functional assay, Research in vivo	Endotoxin:	<1 EU/mg
Formulation:	Liquid: 100mM Pro-Ac, 20mM Arg pH 5.0 Lyophilization: 25mM histidine, 8% sucrose, 0.01% Tween80 pH6.2	Conjugation:	Unconjugated
Reconstitution:	For Powder, reconstitute with sterile, distilled water to a final concentration of 1 mg/ml. Gently shake to solubilize completely. Do not vortex.	Expression System:	CHO
Storage:	-80°C for 2 years under sterile conditions; -20°C for 1 year under sterile conditions; Avoid repeated freeze-thaw cycles.	Purification:	Protein A


Data

Purity: SDS-PAGE




Anti-BTN3A1 Reference Antibody (CTX-2026) on SDS-PAGE under reducing (R) condition. The purity of the protein is greater than 95%.

Purity: SEC-HPLC




The purity of Anti-BTN3A1 Reference Antibody (CTX-2026) is 98.77%, determined by SEC-HPLC.

Bioactivity: ELISA



Immobilized human PVRIG His at 2 µg/mL can bind Anti-BTN3A1 Reference Antibody (CTX-2026), $EC_{50}=0.002394$ µg/mL.


Bioactivity: FACS



Human BTN3 HEK293 cells were stained with Anti-BTN3A1 Reference Antibody (CTX-2026) and negative control protein respectively, washed and then followed by PE and analyzed with FACS, $EC_{50}=0.8254$ nM.

The products are for research use only. Not for use in diagnostic procedures.

Kinetics (SPR)



Anti-BTN3A1 Reference Antibody (CTX-2026) captured on CM5 chip via anti-human IgG Fc antibodies surface, can bind Human BTN3A1 / BTF5 / CD277, His Tag (Cat. PHA276) with an affinity constant of $9.89E-11$ M as determined in a SPR assay

The products are for research use only. Not for use in diagnostic procedures.